

# TIME LED<sup>®</sup>

## Ambient 2m LED IP20 Daylight Soft Strip Light With Remote 12V

### Installation and Operating Instructions



Read and follow instructions before operating your LED Strip Light.  
Save this manual for future reference.

#### Package includes:

- 1 x Ambient 2m LED IP20 Daylight Soft Strip Light 12V
- 1 x Remote
- 1 x Control Unit
- 1 x Manual

#### Safety:

- Installation of this luminaire should only be carried out by a qualified electrician or competent person to the current building and IEE Wiring Regulations (BS7671).
- Before installation/maintenance, ensure that all mains supply to the luminaire is switched off and the circuit fuses are removed or switched off.
- Check the total load on the circuit (including when this luminaire is fitted) does not exceed the rating of the circuit cable, fuse or circuit breaker.
- Please note the IP (Ingress of Protection) rating of this luminaire when deciding the location for installation.
- This product is IP20.

INS-781104-V2

#### TIME LED is part of Pitacs Limited. For customer support contact:



Bradbourne Point, Bradbourne Drive, Tilbrook, Milton Keynes, Buckinghamshire MK7 8AT

T: +44 (0)1908 271155 F: +44 (0)1908 640017 E: [info@timeled.co.uk](mailto:info@timeled.co.uk) W: [www.timeled.co.uk](http://www.timeled.co.uk)




<b>Product Code</b>	<b>781104</b>
Size	Length: 2 metres Height: 1.2mm Width: 10mm
Watts	6W/m
Equivalent Wattage	48W/m
Lumens	620lm/m35%
Dimmable	Yes
Cable Length	15cm

Lifespan	25000 Hours
Colour Temp	6500K Daylight
Energy Rating	A+
Material	FPC
IP Rating	IP20
DC Voltage	DC12V
Warranty	3 Years




1) Peel the backing off all strips to reveal the adhesive coating. Carefully secure the strip to the surface in the required position.



2) Connect the LED strip to the dimming controller. Connect the dimming controller to an appropriate driver.

**Remote Interface:**



**Remote Control Specifications:**

Working Temperature	-20 to -60°C
Size	84x51x7mm
Output Current	<6A
Static Power Consumption	<1W
Input Voltage	DC5-24V
IR Size	60x35x21mm

**Cleaning:**

- Do not use any chemical or abrasive cleaners.
- Clean product with a soft, dry cloth.

**Warranty:**

- This product is warranted to be free of defects in materials, design and workmanship for 3 years from the date of purchase (conditions apply, please see TIME LED website for further details). If a suspected fault should develop in this time, please contact us via the address on the front.

**Recycling Advice:**

Waste Electrical products should not be disposed of with household waste. Please recycle where facilities exist. Check with your local authority or retailer for recycling advice.

Full Technical specification available upon request. Contact [info@timeled.co.uk](mailto:info@timeled.co.uk) for PDF.